

January 1, 2023



**Protecting What's Important** FOR OVER 65 YEARS



# Life is unpredictable. FireKing® specializes in "unpredictable."

For over 65 years, FireKing® has been providing high-quality products designed to protect your company's vital business records. FireKing® offers a broad array of products that are manufactured or created using the most innovative, advanced product development technology available.

#### A Family of Features

Disaster strikes in many forms. Fire. Water. Impact. Which is why FireKing® utilizes an arsenal of safeguards to secure critical and valuable items against devastation.

Use these icons to guide you to the FireKing® products that will best suit your needs.



















For media protection. The internal



For media protection. The internal



2-hr - 125° rating For media protection. The internal



For media protection. The internal



30 ft impact rated



Key Lock to resist picking and drilling





For testing information (UL® and ETL), visit ul.com and intertek.com

From interesting tidbits about FireKing® to fun did you knows about the industry as a whole, be sure to check out the FireKing® Hot Facts featured throughout this catalog.

## CONTENTS

FIRE RATED
File Features and Cabinet Colors
FireKing® Lateral File Cabinets
FireKing® Vertical File Cabinets
FireKing 25 <sup>®</sup>
FireKing® 2-Hour Vertical File Cabinets
Patriot by FireKing®
FireKing Turtle <sup>®</sup>
FireKing Pedestal Cabinet
FireKing® Safe-In-A-File
FireKing FireShield®
FireKing® End Tab Filing10
FireKing® Storage Cabinets10
Accessories11
FireKing® 1-Hour Fire Rated Data Safes12
FireKing® 2-Hour Fire with Impact Rated Data Safes 12
FireKing® 3-Hour Fire with Impact Rated Data Safes 13
FireKing® Mixed Media Safe13
FireKing® Fire & Water Resistant Safes14
SureSeal by Fireking® Fire & Water Rated Chests15
SECURITY16
FireKing® Depository Safes18
FireKing® Trim Safe18
FireKing® Personal Safes19
FireKing® Portable Safe19
SAFETY RATINGS20





An unforeseen disaster can do serious damage to irreplaceable documents.

Whether you're securing business-related items or protecting your most precious personal items, FireKing® is the solution to trust. Be prepared before disasters happen!

## FIRE RATED

#### **File Features**



Gypsum insulation that is reinforced by heavy gauge lattice providing peace of mind from fire and impact.

#### WATER RESISTANT

All FireKing® files are designed to prevent water damage resulting from sprinklers and fire hoses.

Vertical Classic files are ETL verified and have a fire-retardant silicone gasket around drawer for added protection.

#### STEEL PANELS

In the event that a panel is damaged, it can be easily replaced.

#### FINISH

Environmentally friendly electrostatic powder coating applied to all sides, including bottom.

#### DRAWER BODIES

High drawer sides accommodate hanging folders.

#### DRAWER SUSPENSIONS

Maintenance free, lifetime guarantee.

# POST DESIGNATION TO THE PROPERTY OF THE PROPER

#### **DRAWER LOCKS**

All the files provide general locking through either a standard key lock or UL® listed, high security locks.

#### **DRAWER PULLS**

Available with surface mounted or recessed handles depending on model.

#### INSULATION

**BETWEEN ALL DRAWERS** 

Makes each drawer a separate insulated container.

#### TWO POSITION DRAWER CATCH

Allows access to certain drawers while others remain locked. (not available on the Patriot files)



Every color tells a story, and FireKing® offers those preferred by today's office designers and decorators. Custom colors are also available (an upcharge may apply).

Turtle® Files available in Arctic White, Black Stone, and Parchment only.

Patriot by FireKing® Files available in Parchment and Black only. FireShield® available in Black Stone and Diamond Stone only.

To aid your selection, your FireKing® dealer will be glad to show you color charts.



Colors samples are not an exact match.
Please contact Customer Service if matching a specific color.





#### FireKing® Lateral File Cabinets

The same features of our Vertical File Cabinets – in a sleek design.

4-3822-C Shown in Brown 2-3822-C

Shown in Parchment






















#### FireKing® Vertical File Cabinets

Stand tall. Stand assured. Stand with FireKing®. Our Vertical File Cabinets are available in 2, 3 and 4 drawer sizes.

4-2131-C

2-2131-C















30 ft impact rated

ETL water resistant

# Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
FireKing® Latera	I File Cabinets*			
4-3122-C	4 Drawer	10%" x 25 <sup>3</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>8</sub> "	52¾" x 31¾ <sub>16</sub> " x 22½"	794 lbs.
4-3822-C	4 Drawer	10¾" x 31½",6" x 15½"	52¾" x 37½" x 22½"	907 lbs.
4-4422-C	4 Drawer	10 <sup>3</sup> / <sub>4</sub> " x 38 <sup>15</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>8</sub> "	52 <sup>3</sup> / <sub>4</sub> " x 44 <sup>1</sup> / <sub>2</sub> " x 22 <sup>1</sup> / <sub>8</sub> "	1,019 lbs.
3-3122-C	3 Drawer	10%" x 25½" x 15½"	401/4" x 313/16" x 221/8"	574 lbs.
3-3822-C	3 Drawer	10¾" x 31½",6" x 15½"	40¼" x 37½" x 22½"	756 lbs.
3-4422-C	3 Drawer	10 <sup>3</sup> / <sub>4</sub> " x 38 <sup>15</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>8</sub> "	401/4" x 441/2" x 221/8"	791 lbs.
2-3122-C	2 Drawer	10¾" x 25¾ <sub>16</sub> " x 15⅓"	27¾" x 31¾6" x 221/8"	456 lbs.
2-3822-C	2 Drawer	10¾" x 31½",6" x 15½"	27¾" x 37½" x 22½"	532 lbs.
2-4422-C	2 Drawer	10 <sup>3</sup> / <sub>4</sub> " x 38 <sup>15</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> " x 44 <sup>1</sup> / <sub>2</sub> " x 22 <sup>1</sup> / <sub>8</sub> "	584 lbs.

Laterals: Multipurpose lateral file cabinets designed for letter and legal filing. Fully equipped for letter and legal hanging folders.

FireKing® Vertical	File Cabinets*
4-1831-C	4 Drawer

4-1831-C	4 Drawer Letter	103/8" x 123/16" x 26"	52¾" x 17¾" x 31½"	603 lbs.
4-2131-C	4 Drawer Legal	103/8" x 151/4" x 26"	52¾" x 20 <sup>13</sup> / <sub>16</sub> " x 31 <sup>9</sup> / <sub>16</sub> "	664 lbs.
3-1831-C	3 Drawer Letter	103/8" x 123/16" x 26"	401/4" x 173/4" x 319/16"	476 lbs.
3-2131-C	3 Drawer Legal	103/8" x 151/4" x 26"	401/4" x 2013/16" x 319/16"	526 lbs.
2-1831-C	2 Drawer Letter	103/8" x 123/16" x 26"	27¾" × 17¾" × 31½"	348 lbs.
2-2131-C	2 Drawer Legal	10%" x 151/4" x 26"	27¾" x 20 <sup>13</sup> / <sub>16</sub> " x 31 <sup>9</sup> / <sub>16</sub> "	383 lbs.

<sup>\*</sup>Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.

## FIRE RATED

#### FireKing 25<sup>®</sup> >

Save space with this economical filing option. Available in 2 or 4-drawer models in letter or legal widths, with an impressive depth of 25".

**4-2125-C 2-1825-C** Shown in Parchment Shown in Black



high-security key lock



fire rated



impact rated







Made in the U.S.A.





#### ✓ FireKing® 2-Hour Vertical File Cabinets

The ultimate in fire rated records protection. Made with Thermocell II®, a proprietary insulation, which provides twice the protection.

**4-1956-2 and 2-2130-2** *Shown in Brown* 













high-security key lock

2-hr fire rated

30 ft impact rated

water resistant

1/2-hr ETL rating

Made in the U.S.A.

# Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
FireKing 25® *				
4-1825-C	4 Drawer Letter 25" Deep	103/8" x 123/16" x 193/4"	52¾" x 17¾" x 25½ <sub>6</sub> "	508 lbs.
4-2125-C	4 Drawer Legal 25" Deep	103/8" x 151/4" x 193/4"	52¾" x 20 <sup>13</sup> / <sub>16</sub> " x 251/ <sub>16</sub> "	551 lbs.
2-1825-C	2 Drawer Letter 25" Deep	103/8" x 123/16" x 193/4"	27¾" × 17¾" × 25½6"	287 lbs.
2-2125-C	2 Drawer Legal 25" Deep	10%" x 151/4" x 193/4"	27 <sup>3</sup> / <sub>4</sub> " x 20 <sup>13</sup> / <sub>16</sub> " x 25 <sup>1</sup> / <sub>16</sub> "	326 lbs.

FireKing® 2-Hour Vertical File Cabinets*						
4-1956-2	4 Drawer Letter	11 <sup>9</sup> / <sub>16</sub> " x 12 <sup>15</sup> / <sub>16</sub> " x 25 <sup>1</sup> / <sub>8</sub> "	56 <sup>3</sup> / <sub>16</sub> " x 19" x 31 <sup>3</sup> / <sub>16</sub> "	957 lbs.		
4-2157-2	4 Drawer Legal	11 <sup>13</sup> / <sub>16</sub> " x 15½" x 26"	57" x 21 <sup>5</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>16</sub> "	1,021 lbs.		
3-1943-2	3 Drawer Letter	11% x 1215/16" x 251/8"	42 <sup>13</sup> / <sub>16</sub> " x 19" x 31 <sup>3</sup> / <sub>16</sub> "	665 lbs.		
3-2144-2	3 Drawer Legal	11 <sup>13</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	43 <sup>7</sup> / <sub>16</sub> " x 21 <sup>5</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>16</sub> "	752 lbs.		
2-1929-2	2 Drawer Letter	11% <sub>16</sub> " x 12 <sup>15</sup> / <sub>16</sub> " x 251/ <sub>8</sub> "	29½" x 19" x 31¾ <sub>16</sub> "	477 lbs.		
2-2130-2	2 Drawer Legal	11 <sup>13</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	29 <sup>7</sup> / <sub>8</sub> " × 21 <sup>5</sup> / <sub>16</sub> " × 32 <sup>1</sup> / <sub>16</sub> "	548 lbs.		

<sup>\*</sup>Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.

#### Patriot by FireKing® >

FireKing's signature integrity in an economically priced file cabinet. Comes with camlock that controls 2 drawers.

#### 4P1825-C and 2P1825-C

Shown in Black

Follower blocks available on some models.









1-hr 30 ft re rated

ft wate rated resista

Made in th U.S.A.





Tough shell. Tough protection. This 22" deep file cabinet accommodates letter and legal size documents without compromising performance. Comes with a standard keylock.

#### 4R1822-C and 2R1822-C

Shown in Parchment

No follower blocks are available for this unit.





impact rated







Made in the U.S.A.



The United States government stores its treasury bonds in FireKing® cabinets.

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
Patriot by FireKing® *				
4P1831-C	4 Drawer Letter	10 <sup>3</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>16</sub> " x 26"	52 <sup>3</sup> / <sub>4</sub> " x 17 <sup>11</sup> / <sub>16</sub> " x 31 <sup>9</sup> / <sub>16</sub> "	603 lbs.
4P2131-C	4 Drawer Legal	103/8" x 151/4" x 26"	52¾" x 20¾" x 31½"	664 lbs.
4P1825-C	4 Drawer Letter/Legal	10¾" x 12¾ <sub>16</sub> " x 19¾"	52¾" x 17 <sup>1</sup> / <sub>16</sub> " x 25"	508 lbs.
2P1831-C	2 Drawer Letter	10 <sup>3</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>16</sub> " x 26"	27 <sup>3</sup> / <sub>4</sub> " x 17 <sup>11</sup> / <sub>16</sub> " x 31 <sup>9</sup> / <sub>16</sub> "	348 lbs.
2P2131-C	2 Drawer Legal	10%" x 151/4" x 26"	27¾" x 20¾" x 31½"	383 lbs.
2P1825-C	2 Drawer Letter/Legal	103/8" x 123/16" x 193/4"	27¾" x 17 <sup>1</sup> ½6" x 25"	287 lbs.

A space saving file 25" deep that holds letter size hanging folders front to back and legal size hanging folders side-to-side.

#### \*10 year limited warranty.

FireKing	Turtlo® **	

4R1822-C	4 Drawer Vertical	10%" x 12½" x 15½"	52¾" x 17¾" x 22½"	435 lbs.	
2R1822-C	2 Drawer Vertical	10%" x 12¾ <sub>16</sub> " x 15½"	27¾" x 17¾" x 22½"	251 lbs.	

Turtles: A space saving file 22" deep that holds letter size hanging folders front to back and legal size hanging folders side-to-side.

<sup>\*\*</sup>Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.



# Small and mighty records and digital media protection

FireKing's compact and flexible one-drawer file cabinet is designed to meet your unique home, personal office, and/or small business needs. This durable, fire-rated file cabinet has been meticulously designed and tested to offer the highest quality asset protection, coupled with flexible filing capabilities for your most important legal or letter-sized documents.

#### **FEATURES**

- · One-hour, fire-rated for paper
- · One-hour, fire-rated for digital media
- · Letter- or legal-sized filing
- Pewter powder coat finish
- Cam lock with two keys
- Recessed handles
- · One year limited warranty
- Made in the USA

















1-hr

1-hr media protection

a water

Model No.	Description	Weight	Exterior (H x W x D)	Interior (H x W x D)	Approx. Shipping Wt.
1P1822-DPE	One Drawer Fire Rated Letter/Legal	110 lbs.	15 <sup>9</sup> / <sub>32</sub> " x 17 <sup>3</sup> / <sub>4</sub> " x 22 <sup>1</sup> / <sub>8</sub> "	103/8" x 123/16" x 151/8"	120 lbs.s

# NEW PEDESTAL CABINET



Fire-Rated and Flexible, Built for Modern Offices



# FIRST FIRE-RATED MOBILE PEDESTAL

Modern and WFH offices demand flexible storage options with smaller footprints. As such, we've seen the rise in popularity of the pedestal style file cabinet with wheels for easy movement and height for under-desk storage. FireKing saw this need and combined all the benefits of a pedestal with its best-in-class fire-ratings.

## INDUSTRY BEST FIRE-RATED STORAGE NOW IN A PEDESTAL

## Flexible Fits Fire-Rated

The FireKing Mobile Pedestal line offers flexible storage with a catchall drawer, flexible seating with heavy-duty caster wheels and cushion compatibility, a 25 1/4" height to fit under most desks, and maintains a 1-Hour or 30-Minute fire-rating.









Made in the USA



Available in Parchment

**SKUS:** 2M1822-1 (1- Hour)

**Dimensions:** 

22 1/8 "D x 17  $\frac{3}{4}$ "W x 25  $\frac{1}{4}$ "H Product/Shipping weight: 213/220 lbs.

## FIRE RATE

#### FireKing® Card, Check & Note Files >

Confidentiality, check. Available in 4 and 6-drawer models. UL® listed keylock top drawer to control all drawers.

#### 6-2552-C

Shown in Parchment





fire rated





resistant





Shown in Parchment with 32026 Inserts (sold separately)



#### ⟨ FireKing® Safe-In-A-File

FireKing's Safe-In-A-File is cleverly designed to conceal a spacious safe behind a false top drawer panel. Included in the topmost file of each FireKing® Safe-In-A-File Cabinet is a fire resistant safe providing even more protection. Safe-In-A-File is ideal for the small or home office.

#### **Features:**

- 2.4 cubic foot capacity safe
- Inner safe door constructed of 1/4" steel
- · Safe features internal relocking device
- Both safe and file drawers offer fire protection
- UL® listed Group II combination lock
- · Safe interiors are available in Graphite color only

4-2131-CSF Shown in Parchment 2-2131-CSF Shown in Black















30 ft impact rated

ETL water

1/2-hr

# Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
FireKing® Card, C	Check & Note Files*			
6-2552-C	6 Drawer	6¼" x 19¾" x 26"	52¾" x 25½6" x 31½6"	863 lbs.
4-2536-C	4 Drawer	61/4" x 193/4" x 26"	361/8" x 255/16" x 319/16"	644 lbs.
FireKing® Safe-In	-A-File*			
4-2131-CSF	4 Drawer Legal	10 <sup>3</sup> / <sub>8</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	52 <sup>3</sup> / <sub>4</sub> " x 20 <sup>13</sup> / <sub>16</sub> " x 31 <sup>9</sup> / <sub>16</sub> "	728 lbs.
3-2131-CSF	3 Drawer Legal	10 <sup>3</sup> / <sub>8</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	401/4" x 2013/16" x 319/16"	644 lbs.
2-2131-CSF	2 Drawer Legal	10%" x 151//" x 26"	27 <sup>3</sup> / <sub>4</sub> " x 20 <sup>13</sup> / <sub>16</sub> " x 31 <sup>9</sup> / <sub>16</sub> "	501 lbs

Safe-In-A-File: Safe inside dimensions - 1011/16"H, 161/16"W, 249/16"D. Safe interiors available in Graphite color only.

<sup>\*</sup>Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.





Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing FireShield® *				
2S1822-DDSSF	10%" x 12½" x 15½"	27¾" x 17¾" x 22½"	237 lbs.	1.3 cu. ft.

<sup>\*</sup>Limited one year warranty. Contact customer service for warranty terms and conditions.

## FIRE RATED

#### FireKing® End Tab Filing >

For important end-tabbed documents, FireKing's durable fire rated end-tab storage cabinets are designed specifically to file and protect your end-tab filing. Four adjustable dividers per shelf for letter size end tab filing and six permanently installed dividers per shelf for legal size.

**CF7236** Shown in Parchment Each 72" tall cabinet accommodates 6 fixed shelves

**CF4436** Shown in Parchment Each 42" tall cabinet accommodates 3 fixed shelves









1-hr fire rated

water resistant

Vlade in th U.S.A.





#### **← FireKing® Storage Cabinets**

Discover what's in store. Equipped with a weight capacity of 160 lbs. per shelf to accommodate those larger, heavier storage requirements.

**CF7236-D** Shown in Parchment 72" tall with 4 adjustable shelves

**CF4436-D** Shown in Parchment 44" tall with 2 adjustable shelves









high-security key lock

ity fire

water

Made in the U.S.A.

# Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.		
FireKing® End Tab Filing*						
CF7236-MD	Letter Size End Tab filing	67%" x 31%" x 13"	72" x 36" x 191/4"	948 lbs.		
CF4436-MD	Letter Size End Tab filing	39%" x 31%" x 13"	44" x 36" x 191/4"	698 lbs.		
CF7236-MD-LGL	Legal Size End Tab filing	67%" x 31%" x 13"	72" x 36" x 191/4"	948 lbs.		
CF4436-MD-LGL	Legal Size End Tab filing	39%" x 31%" x 13"	44" x 36" x 191/4"	698 lbs.		

Accommodates 6 rows and 3 rows.

FireKing® Storage Cabinets*						
CF7236-D	4 Adjustable Shelves	67%" x 31%" x 15"	72" x 36" x 19¼"	892 lbs.		
CF4436-D	2 Adjustable Shelves	39%" x 31%" x 15"	44" x 36" x 191/4"	620 lbs.		

<sup>\*</sup>Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.

#### **Accessories** (File Cabinets)

You have many options to customize your FireKing® cabinets. You can add security features as well as accessories that will help you tailor your cabinet to your document types.

Note: Some accessories and options may not be available on certain Filing Cabinets.



#### Casters

Make your FireKing® file cabinet portable with a caster base.



#### Cross Tray

Cross trays sit horizontally or vertically across a standard file drawer and are great for storing small items, cards, checks, etc.



#### Inner Drawer

The inner drawer accessory fits inside standard file drawers and comes complete with glide rails for smooth operation. Factory installed.



#### **<** Document Inserts

Opt for document inserts and provide a convenient way to file various nonstandard size documents, a top inner drawer (factory installed) or section inserts with 1 to 6 sections.



#### File Lock Options

Electronic locks are available for most FireKing® file cabinets. Specify one e-lock for the cabinet or order your file with e-locks on each drawer. (Not available on Turtle®, Patriot by FireKing® Files or FireShield®.)



You have many options to customize your storage cabinets. You can add accessories that will help you tailor your cabinet to meet your needs.



#### Letter Size End Tab Filing

Store end tab files with adjustable and modular end tab filing shelves for easy, at a glance records archiving.



#### File Drawer

Our modular file drawer comes in either a legal configuration, storing two rows of legal size folders side by side, or letter configuration, holding letter size folders in a single row.



#### Pull Out Shelf

Create a convenient tabletop workspace in seconds with the pull out tray. It's sturdy enough to act as a writing surface, and discreet enough to slide out of the way when not in use.



#### Blueprint Holder

Organize, store and access blueprints quickly with this convenient accessory. Blueprints are stored unfurled and upright so that designs and schematics are stored for easy access and protection.

All FireKing filing cabinets are manufactured in New Albany, Indiana, USA.



## FIRE RATED







#### FireKing® 1-Hour Fire Rated Data Safes

Computer media is easily damaged – but not with a FireKing® Data Safe on the job. Available in 2 sizes, features a UL® Class 125 1-hour fire rating.\*\*

#### Features:

- Equipped with a high security key lock
- Available in our Platinum finish

#### **Optional Interiors**

CS12-FS Fixed shelf for DS1513-1 CS12-CD Composite drawer for DS1513-1 CS16-FS Fixed shelf for DS1817-1

CS16-CD Composite drawer for DS1817-1









high-security key lock

1-hr -125° rating

water resistant

Made in th

#### reKing 2-Hote Fire with Impact Rated Data Safes

(sold separately)

Makes an impact – a wijnstar one, too. Incorporates layers of heat absorb primate of fire resistant insulating foam and a tough steel cast g. East cireKing 72-Hour Safe carries a UL® Class 125 2-hour fire and impact rating

#### Features:

- Programmable electronic lock for secural an leasy cess
- · Available in our Light Gray finish
- Optional interiors allow various configurations to leet you storage needs

#### **Optional Interiors**

CS20-FS Fixed shelf for DS6420-2 CS20-CD Composite drawer for DS6420-2

CS31-FS Fixed shelf for DS6431-2

CS31-CD Composite drawer for DS6431-2









theft resistant

30 ft impact rated

2-hr -125° rating

water

# Specifications

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity		
FireKing® 1-Hour Fire Rated Data Safes*						
DS1513-1	14 <sup>3</sup> / <sub>5</sub> " x 12 <sup>7</sup> / <sub>10</sub> " x 12 <sup>7</sup> / <sub>10</sub> "	25½" x 21½" x 22½"	297 lbs.	1.3 cu. ft.		
DS1817-1	17%" x 16%" x 17"	28 <sup>3</sup> / <sub>5</sub> " x 25 <sup>1</sup> / <sub>2</sub> " x 26 <sup>3</sup> / <sub>5</sub> "	429 lbs.	2.8 cu. ft.		
See your dealer for	the complete selection of interior designs.					

FireKing® 2-Hour Fire with Impact Rated Data Safes*							
DS6420-2	631/8" x 195/16" x 1513/16"	76 <sup>13</sup> / <sub>16</sub> " x 29 <sup>7</sup> / <sub>16</sub> " x 30"	1,380 lbs.	11.2 cu. ft.			
DCC421 2	621/" v 203/" v 109/ "	7613/ " × 407/" × 223/ "	1 970 lbs	20.0 ov. ft			

\*Limited one year warranty. Contact customer service for warranty terms and conditions.

#### **Test Procedures**

- \*\*Maintain an interior temperature less than 125'F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 1 hour to 1700'F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test, and the Humidity Test.
- \*\*\*Maintain an interior temperature less than 125'F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 2 hours to 1850'F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test, the Humidity Test and the Fire and Impact Test.

#### **JANUARY 1, 2023**



#### ✓ FireKing® 3-Hour Fire with Impact Rated Data Safes

You're in safe hands – with our highest rated safe. Available in five sizes, all featuring UL Residential Security Container (RSC) rating and UL® Class 125 3-hour fire and impact rating.\*\*

#### **Features**

- Programmable electronic lock for security and easy access
- · Available in our Platinum finish
- Canadian UL Class 52 3-hour as to fire and impact resistance

#### **Optional Interiors**

CM12-FS Fixed shelf for DM1413/2513-3

CM12-CD Composite Drawer for DM1413/2513-3

CM19-FS Fixed shelf for DM2520/3420/4420-3

CM19-CD Composite Drawer for DM2520/3420/4420-3











3-hr im t rated 125° rating

water resistant

Made in th



DP2150-M



#### FireKing® Mixed lediz afe

Two safes in one – the ultiplate in versatil protection. The top section holds paper accords and res, while the bottom section holds media.

#### Media Compartment Optional Interio

CM19-FS Fixed shelf

CM19-CD Composite Drawer

#### **Paper Compartment Optional Interiors**

S-21 Fixed shelf











1-hr

theft

3-hr -125° rating

water

Made in th U.S.A.

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing® 3-Hour	Fire with Impact Rated Data Safes	*	PP - PP - G	,
DM1413-3	135/8" × 111½" × 161½"	29 <sup>5</sup> / <sub>8</sub> " × 25 <sup>1</sup> / <sub>4</sub> " × 31"*	650 lbs.	1.5 cu. ft.
DM2513-3	245/16" x 111/2" x 1611/16"	401/4" x 251/4" x 31"*	740 lbs.	2.7 cu. ft.
DM2520-3	24 <sup>5</sup> / <sub>16</sub> " x 18 <sup>5</sup> / <sub>8</sub> " x 16 <sup>11</sup> / <sub>16</sub> "	401/4" x 321/16" x 31"*	1,050 lbs.	4.5 cu. ft.
DM3420-3	331/8" x 185/8" x 1611/16"	491/16" x 321/16" x 31"*	1,240 lbs.	6.0 cu. ft.
DM4420-3	435%" x 185%" x 1611/2"	593/" x 321// <sub>2</sub> " x 31"*	1 420 lbs	7.9 cu. ft

See your dealer for the complete selection of interior designs.\*Exterior depth does not include handle depth of 15/16".

#### FireKing® Mixed Media Safe\*

DP2150-M		59¾" x 32½6" x 31"	1,290 lbs.	
Paper compartment	19½" x 26¾" x 20 <sup>29</sup> / <sub>32</sub> "			6.1 cu. ft.
Media compartment	245/16" x 185/8" x 1611/16"			4.4 cu. ft.

<sup>\*</sup>Limited one year warranty. Contact customer service for warranty terms and conditions.

#### **Test Procedure**

<sup>\*\*</sup>Maintain an interior temperature less than 125°F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 3 hours to 1925°F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test and the Humidity Test.

#### FireKing® Fire & Water Resista Safes

compromised fire Economical yes rotection! construction safe is equipped This heavy st an electron clock for burglary and shrinka 1/2-hour, 1-hour or 1 water resistant. sic theft security, det These safes also carry a -ho ated fire label and





#### 1-Hour Fire Rated

- 4 user programmable lock
- Adjustable shelf (KF1509-1WHE)
- 9V battery required (included)
- 2 live bolts
- 2 deadbolts
- · Available in White finish
- Bolt down kit included







theft



Comes standard with 2 adjustable shelves.



#### (2-Hour Fire Rated

- er programmable lock
- Overide key included
- ery required (included)
- bolts
- deacholts vailable in
- ck finish
- own includ







Come Landard with 1 shelf.

resistant

1 1/2-Hour Fire Rated

- 4 user programmable lock
- Tray (KF1612-2WHE)
- Key-locking drawer (KF1814-2WHE)
- 9V battery required (included)
- Up to 5 live bolts
- Up to 3 deadbolts
- · Available in White finish







1 1/2-hr

theft

#### cacts FireKing<sup>®</sup>

A patent for fire hydrant idea was obtained in 1801, but unfortunately, there is no official record of this patent since many patents including this one, were destroyed in an 1836 fire.

# Specifications

1/2-Hour Fire Rated* KF2418-HBLE	24¼" x 18½" x 15½"			
KF2418-HBLE	24½" × 18½" × 15½"			
	24/4 A 10/2 A 13/2	27½" x 21½" x 19"	187 lbs.	4.02 cu. ft.
1-Hour Fire Rated*				
KF0812-1WHE	8" x 12½" x 9½"	11¾" x 16½" x 14"	81 lbs.	0.53 cu. ft.
KF0915-1WHE	9½" x 15" x 12"	13¾" x 19¾" x 16¾"	125 lbs.	0.97 cu. ft.
KF1509-1WHE	15" x 91/4" x 12"	19 <sup>2</sup> / <sub>3</sub> " x 13 <sup>3</sup> / <sub>4</sub> " x 16 <sup>3</sup> / <sub>4</sub> "	125 lbs.	0.97 cu. ft.
1 1/2-Hour Fire Rated*	•			
KF1612-2WHE	16¾" x 12¾" x 12½"	21¾" x 18½" x 18⅓"	198 lbs.	1.48 cu. ft.
KF1814-2WHE	18½" x 14½" x 12½"	24" x 19 <sup>2</sup> / <sub>3</sub> " x 18 <sup>1</sup> / <sub>2</sub> "	231 lbs.	1.85 cu. ft.
KF2115-2WHE	21¼" x 15⅓" x 13½"	26¾" × 20%" × 19%"	308 lbs.	1.48 cu. ft.
KF2617-2WHE	26¼" x 17½" x 13½"	32" x 23 <sup>2</sup> / <sub>9</sub> " x 20"	396 lbs.	1.85 cu. ft.

Depth does not include lock or handle.

<sup>\*</sup>Limited one year warranty, with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.

#### SureSeal by FireKing® Fire & Water Rated Chests

Buildings destroyed by a fire can be restored. The same can't be said for passports, digital media and other important items. SureSeal by FireKing® chests keep interior dry even when completely submerged for up to 2 hours.







Holds #10 envelopes and folded documents

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches
- Handle



Holds letter and A4 size documents flat

- · Complete waterproof protection
- · Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- · Dual compression latches
- Handle



#### SS104

Holds letter and legal size files

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- · Dual compression latches
- Handle
- Safety hinges



#### SS106

Holds letter and A4 size hanging file folders

- Complete waterproof protection
- · Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches

This product is designed to protect digital media (CDs/DVDs, flash drives and portable hard drives). Please reference our data safes section for protection of film, data cartridges, video/audio cassettes, floppy discs, photos or photo negatives.


Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
1/2-Hour Fire Rated*				
SS102	4½" x 9¾" x 6"	7 <sup>3</sup> / <sub>10</sub> " x 12 <sup>1</sup> / <sub>5</sub> " x 9 <sup>4</sup> / <sub>5</sub> "	20 lbs.	0.15 cu. ft.
SS103	3 <sup>9</sup> / <sub>10</sub> " x 13 <sup>1</sup> / <sub>10</sub> " x 8 <sup>1</sup> / <sub>2</sub> "	6½" x 15½" x 12½"	29 lbs.	0.27 cu. ft.
SS106	101/10" x 121/5" x 82/5"	13" x 16" x 12½"	51 lbs.	0.6 cu. ft.
1-Hour Fire Rated*				
SS104	3½" x 14½" x 12"	7 <sup>3</sup> / <sub>10</sub> " × 19 <sup>9</sup> / <sub>10</sub> " × 17"	56 lbs.	0.38 cu. ft.

<sup>\*</sup>Limited 7 year warranty. Contact customer service for warranty terms and conditions.

# SECURITY PRODUCTS

## Sometimes your biggest threat isn't a fire or natural disaster.

FireKing® is still your best solution! Security is of the utmost importance for any home or business. Protect your cash and other valuables with FireKing's wide variety of safes for deterring robbery and internal theft. Designed to keep valuables, big or small, in your hands, not theirs.



## **SECURITY**

#### FireKing® Depository Safes >

Convenient and reliable form of protection from theft and shrinkage in your retail setting. Easy under-the-counter installation. Designed to accept bulky drops and enables you to easily make bank bag type drops and droposits them into the safe. This allows you to make those the safe without opening the main door to the safe

#### Featured:

- Full-leng ninge deadbolt
- User free dly, Uklis d, electronic lock
- Anti-fish hope er preents contents from being move
- Bolt down kit included with pre-trilled anchor holes.
- Drill resistant hard te behit lock
- 6" drop slot



theft





Reducing you wailable cash deters robbery and your findline of cleans against internal theft. FireKing® Under Court Partes allow you to deposit larger bills at the Roi of-Sale.

#### Featured:

- Ideal for cashed-based businesses
- · Heavy gauge steel construction
- Slot size: 5 3/8W x 5/8H
- Key lock with two keys



theft resistant

#### Model No. Inside Dimensions H x W x D Outside Dimensions H x W x D Approx. Shipping Wt. Capacity FireKing® Depository Safes\* SB2014-BLEL 19<sup>7</sup>/<sub>10</sub>" x 13<sup>3</sup>/<sub>5</sub>" x 11<sup>1</sup>/<sub>5</sub>" 20" x 14" x 14" 94.8 lbs. 0.95 cu. ft. SB2414-BLEL 231/10" x 131/10" x 101/5" 24" x 14" x 14" 108.03 lbs. 2.72 cu. ft.

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing® Trim Safe*				
MS1206	105/8" x 6" x 6"	12" x 6" x 7"	15 lbs.	0.2 cu. ft.

<sup>\*</sup>Limited one year warranty. Contact customer service for warranty terms and conditions.

If you're looking for the best personal safe, FireKing® personal and home safes are designed to be compact and convenient. This makes them idea for a variety of applications including home, office or dorming.



theft

#### Small HS1207

- Offers protection is a compact size; ideal or hone, fice, workstations, and automobiles
- Bolt-down kit sily at the saf to wall or floor
- Digital keypad with 3 to 8 digits programmable code with manual override keys for emergencies



#### Large LT1507

- Designed to offer protection for valuable ossessions and fits most laptop mputers
- ompact size allows easy installation on the wall or floor in home, dorm room, office – even in your automobile
- Electronic lock provides security and easy access (batteries included)
- · Manual override key for emergencies
- Tough construction and bolt down kit for added protection

### FireKing® Portable Safe >

Compact size makes this unit ideal for home, office, dormitory, workstation or automobile. Equipped with a 3-digit combination lock, foam interior and heavy steel exterior.

#### Featured:

- Compact size
- 0.9m security cable
- 1mm steel body and door
- Foam interior



theft resistant



FireKing® is a USA small business with a global reach. You can find FireKing® products in businesses and homes around the world.

Model No.	Description	Dimensions H x W x D	Approx. Shipping Wt.	Capacity			
FireKing® Personal Safes*							
LT1507	Large Personal Safe	7 <sup>9</sup> / <sub>16</sub> " x 15 <sup>3</sup> / <sub>4</sub> " x 16 <sup>5</sup> / <sub>8</sub> "	34 lbs.	1.2 cu. ft.			
HS1207	Small Personal Safe	7¾" x 12¼" x 7¾"	19 lbs.	0.3 cu. ft.			
FireKing® Portable Safe*							
ML1007	Portable Safe	10" x 7" x 1¾"	2.5 lbs.	0.035 cu. ft.			

<sup>\*90</sup> day warranty. Contact customer service for warranty terms and conditions.

## SAFETY RATINGS

#### **ISO CERTIFICATION**

FireKing® is ISO 9001:2015 certified for the manufacture, design and distribution of fireproof filing cabinets including sales and distribution of safes.

#### **UL® 1/2-HOUR FIRE RATING**

Underwriter Laboratories® (UL®) tested to maintain an interior temperature less than 350° F when exposed to a fire for 1/2 hour to 1550° F. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

#### **UL® 1-HOUR FIRE RATING**

Underwriter Laboratories® (UL®) tested to maintain an interior temperature less than 350° F when exposed to a fire for 1 hour to 1700° F. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the paper contents.

#### **UL® 2-HOUR FIRE RATING**

Underwriter Laboratories® (UL®) tested to maintain an interior temperature less than 350° F when exposed to a fire for 2 hour to 1850° F. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the paper contents.

#### 1/2-HOUR FIRE RATING

Tested to maintain an interior temperature less than 350° F when exposed to a fire for 1/2 hour.

#### 1-HOUR FIRE RATING

Tested to maintain an interior temperature less than 350° F when exposed to a fire for 1 hour.

#### 2-HOUR FIRE RATING

Tested to maintain an interior temperature less than 350° F when exposed to a fire for 2 hour.

#### **UL® 1 HOUR 125 MEDIA RATINGS**

Underwriters Laboratories® (UL®) tested to maintain an interior temperature less than 125° F when exposed to a fire for 1 hour to 1700° F. The interior of the unit will have a humidity level of less than 80%. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

#### **UL® 2-HOUR 125 MEDIA RATINGS**

Underwriters Laboratories® (UL®) tested to maintain an interior temperature less than 125° F when exposed to a fire for 2 hour to 1850° F. The interior of the unit will have a humidity level of less than 80%. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

#### **UL® 3 HOUR 125 MEDIA RATINGS**

Underwriters Laboratories® (UL®) tested to maintain an interior temperature less than 125° F when exposed to a fire for 3 hour to 1925° F. The interior of the unit will have a humidity level of less than 80%. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

#### **ETL ELECTRONIC MEDIA - 30 MIN**

Intertek test for fire tested for 30 minutes up to 1550° F. Examinations are to be made as to the heat insulating properties of the sample as evidence by the usability of the electronic media.

#### **ETL WATER RESISTANT**

Unit is protected when exposed to sprinkler spray. Examinations are made as to the moisture content within the unit.

#### **WATER RESISTANT**

Designed to prevent water damage resulting from sprinklers and fire hoses.

#### **UL® 30 FOOT IMPACT RATINGS**

Underwriter Laboratories® (UL®) tested immediately following the fire test, the unit is removed from the furnace and dropped 30' onto a riprap of brick on a heavy concrete base. The unit is then inverted and reheated for at least 30 minutes to 1550° F or more.

#### 2000° EXPLOSION HAZARD RATINGS

Underwriter Laboratories® (UL®) tested. The oven is heated to 2000° F, the unit is placed in the heated oven and kept in for at least 30 minutes. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the paper contents.

#### **UL® HIGH SECURITY KEYLOCK**

Underwriter Laboratories® (UL®) listed to resist picking and drilling, and keys cannot be duplicated except through FireKing. This means access to your vital records is limited to authorized key holders only.

#### **UL® RSC BURGLARY RATING**

A Residential Security Container (RSC) is tested to withstand five full minutes of rigorous prying, drilling, punching, chiseling, and tampering attacks by UL technicians.

#### THEFT RESISTANT

Designed to protect against theft.



Whatever your protection needs, FireKing® has a solution.

The things that matter the most deserve the best protection money can buy.







900 Park Place • New Albany, IN 47150, USA







